






**COMPLETE
STEEL FRAMES**




**TOOLS REQUIRED
FOR STEEL FRAME
INSTALLATION**





Power Tools

Qty	Equipment	Photo
1	Hand held grinder plus metal blades (150mm is recommended)	
1	Rotary hammer drill for concrete drilling (up to 20mm diameter) plus SDS drill bits for anchor fixing	
1	Cordless impact drivers plus driver tips	







Tool Accessories

Qty	Equipment	Photo
1	Phillips bits (Including No. 2 and No. 3)	
1	18mm Spanner & socket sets	
1 set	Carpenters trestles (saw horses) 750mm or 900mm high is ideal	







2	Step ladders (2.5m high is ideal)	
2-3	Electrical leads	

Hand Tools


Qty	Equipment	Photo
1	2000mm spirit level and 1200mm spirit level	
1	Double action tin snips (2 pair each left and right hand)	
1	String lines (chalked and un-chalked) and line marking chalk	
4	Adjustable G clamps/ vice grips	
1	Measuring tape	
1	Hammer	



Safety Equipment

Qty	Equipment	Photo
1 set per person	Protective gloves	
1 set per person	Hearing protection (when using power tools)	
1	Electrical safety pack (15 amp)	
1 per person	Eye protection	





A red graphic overlay with a white logo consisting of several parallel lines forming a stylized steel frame. Below the logo, the text 'COMPLETE STEEL FRAMES' is written in white, bold, sans-serif font. At the bottom of the red area, the website address 'WWW.COMPLETESTEELFRAMES.COM.AU' is written in a smaller white font.

